

## SPIRE X28 PRO

Discharge Beam moving head 280 w

The **Spire X28 Pro** is a stylish moving head beam in a very compact and lightweight housing. It delivers high light output and even coverage field. It features an High quality 280W Lamp. The lamp equips with the reflector built-in, providing perfect lamp alignment. The moving head features ultra sharp beam effect with low consumption. The fixture is integrated with a full complement of professional characteristics including a static gobo wheel, color wheel, 8 and 16-Facet prism, Prism morphing effect, frost filter, motorized linear focus, variable speed shutter/strobe, linear dimmer, color time and gobo time controllable. and special rotating 8 colour filter The fixture supports DMX, RDM (Remote Device Management).

The fixture's exterior housing is beautifully balanced basing on a modern design philosophy with supremely harmonious interior structure for remarkable control. The sculpted body of the Spire X28 Pro achieves more than just a striking look. The 2\*1/4 turn fastening omega clamps, available for vertical and horizontal plug-in, make installations fast and easy. It's applicable for large scale live concerts, TV productions, road shows, clubs, etc.



## PRODUCT DETAILS

### Key features

280 w Lamp 7800°K Life span2000H Philips MSD Platinum 14R Lamp

---

2° Beam Angle

---

Smooth linear mechanical dimming

---

0-20Hz high speed strobe effect with variable speed

---

Color wheel with 14 dichroic colors plus open with half colour

---

Static gobo wheel with 17 gobos plus open

---

Frost filter system (Hybrid effect for wash)

---

8 and 16 Facet prism with variable speed and directions

---

Prism morphing effect

---

7 colour multiray effect filter

---

PAN and TILT with 8/16 bit scanning, photoelectric reset and automatic error correction

---

DMX512 with RDM / Master-Slave / Auto / Sound modes

---

High Efficient low noise self adjusting fan cooling system

---

2.4" High resolution TFT LCD display with easy user-interface

---

## Specifications

<b>Lamp</b>	280 w Lamp 7800°K Life span2000H Philips MSD Platinum 14R Lamp
<b>Lamp life</b>	2000 hours
<b>Input voltage</b>	AC100-240V 50/60Hz
<b>Power consumption</b>	430 W
<b>Control Mode</b>	DMX512, Master/slave, Sound, Auto Mode, RDM
<b>DMX Channel Modes</b>	16/20 Channel
<b>Beam angle</b>	2°
<b>Dimmer</b>	Dual flag mechanical dimming system
<b>Focus</b>	High resolution motorized
<b>X/Y Scan</b>	Smooth and precise 16 Bit 540°PAN and 270°TILT
<b>Strobe</b>	0-20T/sec high speed
<b>Display</b>	2.4" TFT LCD display with 4 control buttons
<b>Colors</b>	Rotating wheel with 11 colors plus open
<b>Gobos</b>	Static wheel with 17 Gobos plus open
<b>Prism</b>	8-facet with variable speed and direction
<b>Prism</b>	16-facet with variable speed and direction
<b>Effect</b>	Prism morphing effect between them
<b>Special Effect</b>	7 colour multiray effect filter
<b>Frost</b>	Wash filter with hybrid effect
<b>Front lense</b>	Anti-reflection 136mm
<b>Housing</b>	Flame-retardant plastic
<b>Internal Running Temperature</b>	0 ÷ 40°C
<b>Dimensions (WxDxH)</b>	316,8(W)*235(D)*519(H)mm
<b>Weight</b>	12 kg
<b>Package Dimensions (WxDxH)</b>	365(W)*360(D)*520(H)mm
<b>Package Weight</b>	14,3 kg